



Venue	Melkweg
Hall	Oude Zaal
Capacity	700
Address	Lijnbaansgracht 234a 1017 PH Amsterdam
Phone	0031 (0)20 5318181
Fax	0031 (0)20 5318188
Website	www.melkweg.nl

IMPORTANT NOTES	
Prohibited	Use of pyrotechnics, confetti, silly strings of any kind
Smoking	Please note that by the 1 st of July 2008 it is no longer permitted to smoke in clubs/pubs/restaurants and venues in the Netherlands.
Settlement	<p>"Hall expenses" is a fixed expense and includes: standard house pa & lights, standard promotion, standard crew (inc. 2 stagehands), standard security (NO BARRIER)</p> <ol style="list-style-type: none"> 1. Performing non-Dutch artists will be exempted from Dutch artist tax if they are able to prove that they are a resident of one of the 82 treaty countries with which the Netherlands has concluded a tax treaty. 2. For non-Dutch artists from countries without a tax treaty, gaurantee is liable to 20% tax. 3. Dutch artists have to apply the regular Dutch income-tax rules. However for these last two groups € 136 per artist is free of tax for expences. Also they can make use of more taxfree expences using the KVB Tax Exemption. <p>For all of the above: in order to make payments to the artist Melkwegpromotor needs a copy of the passport of all performing artists. NO COPIES NO PAYMENT</p>
Timeschedule	Timeschedule will be sent by our production department. Please read and confirm. Due to legal aspects concerning Melkweg staff working hours the agreed timeschedule is not to be exceeded. If set up and soundcheck for the main act requires more time than 4 hours, the hall expenses will go up 135 EURO per hour. Changes in get-in times and numbers of local crew, one week prior to show cannot be accepted because of finalizing planning schedules in due time.
Local crew	1x FOH engineer (= also stagemanager in the hall) 1x Monitor engineer 1x Light engineer 2x Stagehand Extra stagehands are 22.50 EURO per hand per hour extra
Security	Standard security / NO BARRIER
Parking	Parking space for one truck or tourbus per hall. Tourbus-power connection 16 A Ceeform. Power connection for audio- or videoregistration vehicle. Due to present elaborate construction at new Melkweg concert hall our parking space is not available before 15:30 during weekdays. Building started in May 2005 and will be finished end of April 2009 after which we will have more extended facilities for arrival times and parking again. We are sorry for the inconvenience. No overnight parking possible! If in need, ask our production department for the available overnight parking facilities in Amsterdam.

STANDARD FACILITIES	
Dressingrooms	2 dressingrooms (key available with deposit: 20 euro) 2 showers 1 toilet
Merchandise	Booth available Fee: 5 free T-shirts → to be given to the FOH-engineer/Stagemanager
Catering	Melkweg serves hot meals at in-house restaurant 'Eat at Jo's' (Wed. till Sun.) BUY OUT (Mondays and Tuesdays)

TECHNICAL SPECS ON NEXT 2 PAGES



Max sound level	105 DBA Please note: limiters will be inserted on outputs if this level is exceeded.
Stage	Removable stage 9.50 x 4.75m Height 1.20m
Clearance	4.00m
Power supply	3 fase 32 A (CEE-form) sound 3 fase 100 A (4 x 63A CEE-form) light (CEE-form is 3 fase + neutral + earth) transformer 220V to 110V
Recordingstudio	In house studio 48 channels, rental info: Dutchview 0031 (0)35 6772622

STANDARD PA SPECS

Outfront, each side	3x Martin W8 compact 2x Martin WSX sub
Controller	BSS Omnidrive (four way)
Amps	2x Crest CA-6 1x Crest CA-9 1x Crest CA-12

FOH Desk	Soundcraft Vi4 Digital Desk 44 Ch.Inputmulti
Equalisers	XTA GQ-600 Graphic EQ, (2x 30)
Effects	1x Lexicon LXP15 (multi) 1x TC Electronic M2000 1x Yamaha spx 990 1x TC Electronic D-Two (delay)
Inserts	
Players/Recorders	Tascam cd rw-402 (cd recorder)
Monitor Desk	Midas XL 250 36+4st.-18+2 4x XTA GQ600 graphic EQ (2x30) 1x Apex GX 230 (2x 30) 1x lexicon LXP 15 (multi) 1x BSS quad gate (4 channels) 1x klark-teknik quad comp/lim. (4 channels)
Monitoring	10x (+1 que wedge), Martin Audio LE-400 passive 1x Martin Audio drumfill / W2- full range/ WS-2 sub low/ WX-3 controller 2x Martin Audio W3 + 2 x JBL 4530 active sidefills
Amps	4x Crest CA-9 4x Crest CA-6
Microphones	Shure, Sennheiser, AKG, Beyer, Neumann
DI's	ASL+ SCV

LIGHTS AND ON DEMAND EQUIPMENT ON THE NEXT PAGE



STANDARD LIGHT	
Light	Grand MA fullsize, Avolites Pearl 2004 (on demand only) dimmers 5 x Zero88 contour (12 channels @ 3 Kw), 60x 1 KW PAR 64 (40 above stage, 20 above hall) 2x Aircraft set 2 Kw (above stage) 6x ETC Source-Four profile spot 30°-50° lens (above stage) 6x 1.2 KW PC (incl. Barndoor, downstage, front light)
Effects	2x Strobe Martin Atomic 1x Smoke machine MDG 1x Hazer Swefog 6x ClayPaky 300 Alpha spot HPE above stage (fixed position!!) 6x ClayPaky 300 Alpha spot HPE above hall (fixed position!!)
Lighting Grid	Grid above stage area 0.75 m/0.75 m Grid above auditorium 1.50 m/1.50 m maximum load (SWL) 100 Kg per metre
Backdrop	Black curtain along the whole width of the stage

ON DEMAND			
Video	2x Panasonic PT3500E (3600ans.) 2x Sharp (2100ans.)	170 euro per beam	
	1x Panasonic MX50 video mixer 2x Edirol V4	91 euro	
	1x matrix 12x 12	45 euro	
	1x player rack: 3x Sony svo1520 prof. Vhs player 3x LCD preview monitor	68 euro	
	2x S-vhs player Panasonic	12 euro per player	
	4x DVD player	12 euro per player	
	2x 10" preview monitor 1x 4x lcd-preview	12 euro per monitor	
	2x projection screen 1.80 x 2.40 1x projection screen 3.50 x 2.60	20 euro per screen	
	Backline		
	Tama starclassic performer BGG 22x18" bassdrum 14x6.5" wooden snare (2X) 10x8", 12x10", 13x11", 14x12" racktoms 16x14" floortom hi-hat, bassdrum pedal, stool, snarestand, racktomstand, racktomholder 4x cymbalstand (boom) 1x SVT sm400 stereo bassamp.with 2x Goliath III basscabinet (4x 10") 1x Fender twin reverb 1x Roland JC120 1x Marshall JCM800 incl. footswitch / 4 x 12" cabinet		
DJ equipment			
12x Technics SL1200 mk2 turntables 2x Vestax PDX 2000 turntables 4x Pioneer cdj 500s 4x Pioneer cdj 1000 mk2 / 4 x Pioneer cdj1000 mk3 4x Pioneer DJM 600 / 3x Pioneer DJM 800 1 Vestax pro 07 battle mixer 1 Dateq LPM7 mixer 1 A&H xone 92 mixer			
Players/recorders			
DAT (Tascam DA20) / MD (tascam MD 301)			